



Seed Library

Growing Instructions

Scarlet Nantes Carrots

PLANTING:

Choose a location with full sun exposure and well-drained, loose soil. Incorporate plenty of organic matter (compost, aged manure) into the soil before planting. Work the soil to a fine texture to a depth of at least 12 inches to prevent forked roots. Avoid freshly manured soil as it can cause misshapen roots. Plant Scarlet Nantes carrots in Arizona from late February/early March through late summer/early fall (mid-September through March). Sow seeds 1/4 inch deep. Sow seeds 1 inch apart in rows 12-18 inches apart.

Keep the soil consistently moist, especially during germination. Water deeply (6-8 inches) once or twice a week, depending on weather conditions. Avoid overwatering, as soggy soil can lead to root rot. Carrots need full sun (6-8 hours).

HARVEST:

Harvest carrots when they reach the desired size, typically 2-3 weeks after they reach maturity.

For more information about Seed Library, visit phoenixpubliclibrary.org
or call 602-262-4636 (for TTY dial 7-1-1).



PhoenixPublicLibrary



Seed Library

Instrucciones de Cultivo

Zanahorias Scarlet Nantes

PLANTACIÓN:

Elija una ubicación con luz solar directa, tierra suelta y un buen drenaje. Añada materia orgánica abundante (compost, abono maduro) a la tierra antes de plantar. Trabaje la tierra hasta obtener una textura fina con al menos 12 pulgadas de profundidad para evitar raíces divididas. Evite usar tierra recién abonada ya que puede deformar las raíces. Plante las zanahorias Scarlet Nantes en Arizona desde fines de febrero/comienzos de marzo hasta fines del verano/comienzos del otoño (mediados de septiembre a marzo). Plante las semillas a 1/4 de pulgada de profundidad. Plante las semillas con 1 pulgada de separación en filas con 12-18 pulgadas de separación.

Mantenga la tierra húmeda, en especial durante la germinación. Riegue en profundidad (6-8 pulgadas) una o dos veces a la semana, dependiendo del clima. Evite el riego excesivo, ya que la tierra empapada puede hacer que las raíces se pudran. Las zanahorias requieren luz solar directa (6-8 horas).

COSECHA:

Coseche las zanahorias cuando alcancen el tamaño deseado. Suele ser 2-3 semanas después de la maduración.

Para más información sobre Seed Library, visite phoenixpubliclibrary.org
o llame al 602-262-4636 (para TTY marque 7-1-1).



PhoenixPublicLibrary